

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,730,257 B2
DATED : May 4, 2004
INVENTOR(S) : Thomas J. Krall and Gregory A. Geisinger

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Lines 47 and 51, "dosed" should be -- closed --.

Line 55, "finit" should be -- finite --.

Column 6,

Lines 1 and 2, "dosed" should be -- closed --.

Lines 14, 23 and 31, "dosed" should be -- closed --.

Column 7,

Lines 10 and 11, "mat rial" should be -- material --.

Lines 22, 29, 44, 51, 54 and 59, "dosed" should be -- closed --.

Lines 63 and 64, "s cond" should be -- second --.

Column 8,

Lines 23, 30, 31, 32 and 51, "dosed" should be -- closed --.

Line 51 and 56, "th" should be -- the --.


Column 10,

Line 1, "tub" should be -- tube --.

Lines 7 and 9, "th" should be -- the --.

Signed and Sealed this

Thirtieth Day of May, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large loop for the 'J' and a cursive 'D'.

JON W. DUDAS

Director of the United States Patent and Trademark Office